Einrichtung FTP-Upload How do I set up the FTP upload via WS_FTP LE ? ws_ftp LE

After starting WS_FTP you can see the folders and files of your computer on the left(1).

Click "Connect" (2) to establish a connection with another server in the Internet.

I pswitch WS_FTP LE						_ 🗆 🗵
Local System	1 1	Remote	Site			
C:\Dokumente und Einstellunge	· ·			*****		-
Name Date ChgDir		^	Nan	ne	Date	ChgDir
Cookies 21 MkDir						MkDir
Desktop 21						
Druckungebung 21						
Eigene Dateien 21	4					View
Favoriten 21 Exec						Exec
🔁 Lokale Einstellun~ 21 Rename	~?					Rename
Delete						Delete
Recent 21 Befresh						Befresh
SendTo 21						
Diflnfo		4			•	Dirlnfo
C ASCI (* B	inary	v	Auto			
2 WINSOCK.DLL: WinSock 2.0			la s			
Ipswitch WS FTP LE 6.0 2003.11.04, Copyright @ 199						
Connect Cancel LogWnd	Help		Options		About	Egot

After that the following window opens up.

Eigenschaften von Session	? ×
General Startup Advanced Firewall	
Profile Na <u>m</u> e: <mark>1</mark> meine webseite	Ne <u>w</u> 6
Host <u>N</u> ame/Address: 2 ftp.ServerName.de	D <u>e</u> lete 7
Host <u>Type</u> 3 Automatic detect	
User ID:4 Ihr Benutzern ame	□ <u>A</u> nonymous
Password:5	🔽 Save Pwd 8
A <u>c</u> count:	
C <u>o</u> mment:	
9 OK Abbrechen Ü <u>b</u> ernehm Page 1 / 4	en Hilfe

(c) 2024 EUserv Internet <support@euserv.de> | 2024-05-06 21:33

URL: https://faq2.euserv.de/content/25/210/en/how-do-i-set-up-the-ftp-upload-via-ws_ftp-le-.html

Einrichtung FTP-Upload

In the field **"Profile Name" (1)** several preset FTP connecton data can be found (referred to as "profiles").

Click "New" (6) to create a new profile.

Enter a freely selectable name into the field "Profile Name" (1).

You can delete a profile by clicking the "Delete" (7) button.

In the field "Host Name/Address" (2) enter "ftp.ServerName.de".

In the field "Host Type" (3) leave the preset "Automatic Detect" selected.

In the field "User ID" (4) enter the Username from the activation mail (case sensitive!).

In the field "Password" (5) enter the password from the activation mail.

You should check the "Save Pwd" (8) only if you are the only user of the PC.

To establish a connection with this server click "OK" (9).

IPIpswitch WS_FTP _ 🗆 × Local System Remote Site 1 C:\Dokumente und Einstellunge -Ŧ Name Date Name Date ChgDir ChgDir £ **MkDir MkDir** 20040206 📖 . java 20 🛍 www 2 21 🛅 .jpi_cache View 24 🚞 Anvendungsdaten 🔄 Cookies 21 Exec Exec --> 🛅 Desktop 21 Rename Rename Druckungebung 21 Delete 🔄 Eigene Dateien 21 Refresh Refresh 21-📄 Favoriten DirInfo DirInfo . C ASCII Binary
 ✓ Auto 250 CDUP command successful. ۰ PWD 257 "/" is current directory. Close Cancel LogWnd Help Options About Exit

After the successful login the main window looks as follows:

The right side **"Remote Site" (1)** shows the files and folders on the server. Open the folder **"www"(2)** by double-clicking on it.

Einrichtung FTP-Upload

Local System		-	note Site		
C:\Dokumente und Ei	nstellunge	1	vv		•
Name	Date ChgDi		Name	Date	ChgDir
 java jpi_cache Anvendungsdaten Cookies Desktop Druckungebung Eigene Dateien 	21 21 21 21 21 21 21 21 21 21		cgibin data log statistics	20040206 20040212 20040206 20040206	MkDir View Exec Rename Delete Refresh
Favoriten	Dirlnfo			•	Dirlnfo
0	ASCII (Binary	Auto		
250 CWD command successful PWD 257 "/www" is current directory	-				*
Close Cancel	LogWnd	Help	Options	About	Exit

Now you are in the folder "www". There you can see the folders "cgi-bin", "data", "log" and "statistics".

I Ipswitch WS_FTP LE - 🗆 × Local System Remote Site C:\Dokumente und Einstellu 💌 /www/data Ŧ Name Name)at ChgDir ChgDir Ť, MkDir MkDir 🗋 . java 🎬 index.htm 1 🗋 .jpi_cache 🗋 Anvendungsdaten View View 📄 Cookies Exec Desktop Rename Rename Druckumgebung Delete Delete 🗎 Eigene Dateien 🗎 Favoriten Refresh Refresh **r**., ababa DirInfo DirInfo 4 Auto C ASCII Binary
 Binary
 Binary
 Second Control
 Second Con 5 150 Opening ASCII mode data connection for file list Received 70 bytes in 0.1 secs, (7000.00 bps), transfer succeeded 6 Ŧ 226 Transfer complete. Close Cancel LogWnd Help Options About Exit

Open the folder "data" now.

In the directory "/www/data" the Files and Folders(1) of your website are stored. Before you can copy files into the directory "/www/data" you have to select them with the mouse on the left side.

With the button "<-" (2) you can copy the selected files from the server to the local PC (download), the button

"->"(3) is used to copy files from the local PC to the server (upload).

You can also copy complete directories by selecting a directory instead of a file.

Page 3 / 4

Einrichtung FTP-Upload

In the button bars **(4)** right to the list boxes all common functions for file editing are included. The button **"ChgDir"** changes the current directory. "MkDir" creates a new directory.

With the button $\ensuremath{"View"}$ you display text files.

The button "Rename" renames a selected file.

The button **"Delete"** deletes a selected file. Directories can only be deleted when they are empty.

The button "**Refresh**" refreshes the window of the list box.

The button **"DirInfo"** provides further information about the files and directories (e.g. permissions etc.).

The radio buttons "ASCII" (5), "Binary" (5) and "Auto Detect" (5) in the lower part of the main window determine the mode for the file transfer. "Auto" (5) is recommended here.

success and error messages are displayed in the lower **text field (6)** of the main window. With **"Cancel"** you can abort a file transfer. **"Close"** ends the current session. After that the button reads **"Connect"** again.

"Help" provides the online-documentation in the Windows-hypertext-format.

"Exit" ends WS_FTP.

Unique solution ID: #1444

Author: EUserv Kundensupport

Last update: 2012-07-20 13:13